


**Movement Joints (UK) Ltd**


P O Box 10, Wisbech, Cambridgeshire PE13 4AN  
 Tel: 01945 450736 Fax: 01945 450819  
 Web: www.mjuk.co.uk  
 e-mail: info@mjuk.co.uk

**810 series**

**Floor Profiles**  
 For joints widths greater than 100mm



Also available as corner/wall profile

Profile Number	810-135	810-210	810-250	810-340
Fb - Joint widths up to (mm)	135	210	250	340
H - Heights (mm)	43 / 48 / 58 / 63 / 68 / 88			
B - Overall width (mm)	255	340	370	465
S - Visible width (mm)	165	250	280	375
Accommodation of movement (mm)	40 (+/- 20)	100 (+/-50)	120 (+/-60)	150 (+/- 75)
Colours	Natural			
Material	Aluminium			
Standard Length (metres)	4			
Load Bearing capacity (kN)				

- Applications:** For all finishes (Screed, natural stone, cast stone etc), for use with wide joints and in mining or subsidence areas
- Profile characteristics:** Absorption of vertical movement, attractive design, interchangeable aluminium parts
- Profile installation:** See tips for planning and installation

**IMPORTANT**  
 Whilst all reasonable care is taken in compiling technical data on the company's products, all recommendations or suggestions regarding the use of such products are made without guarantee since the conditions of use are beyond the company. It is the customers responsibility to satisfy himself that each product is fit for the purpose for which he intends to use it and that the actual conditions of use are suitable.

